Telefax: +49 3528 4041 65

Telephone: +49 3528 4041 8732

Safety Data Sheet

according to UK REACH Regulation

Tetrabutylammonium hydrogen carbonate (0.075M)

Revision date: 01.11.2022 Product code: PE-TBA-001-Reagent Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Tetrabutylammonium hydrogen carbonate (0.075M)

Further trade names

Tetrabutylammonium hydrogen carbonate solution; Tetrabutylammonium bicarbonate

CAS No: 17351-62-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

reagent for radiolabelling synthesis / labelling of PET molecules

1.3. Details of the supplier of the safety data sheet

Company name: ABX advanced biochemical compounds

Biomedizinische Forschungsreagenzien GmbH

Street: Heinrich-Gläser-Straße 10-14

Place: 01454 Radeberg
Telephone: +49 3528 4041 60

e-mail: info@abx.de
Contact person: Dr. Christoph Meyer

e-mail: meyer@abx.de http://www.abx.de

1.4. Emergency telephone +49 3528 4041 60

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Tetrabutylammonium hydroxide 30-hydrate

Signal word: Danger

Pictograms:





Hazard statements

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

according to UK REACH Regulation

	Tetrabutylammonium hydrogen carbonate (0.075M)	
Revision date: 01.11.2022	Product code: PE-TBA-001-Reagent	Page 2 of 5
P241	Use explosion-proof electrical/ventilating/lighting equipment.	
P242	Use non-sparking tools.	
P243	Take action to prevent static discharges.	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P363	Wash contaminated clothing before reuse.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P310	Immediately call a POISON CENTER/doctor.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
147741-30-8	Tetrabutylammonium hydroxide 30-hydrate		5 - < 10 %	
	Skin Corr. 1B; H314			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration. Call a physician in any case!

After contact with skin

Take off immediately all contaminated clothing, including underwear and shoes . After contact with skin, wash immediately with plenty of water and soap. Call a physician in any case!

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Rinse mouth thoroughly with water. Medical treatment necessary.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray. alcohol resistant foam. Carbon dioxide (CO2). Dry extinguishing powder.

according to UK REACH Regulation

Tetrabutylammonium hydrogen carbonate (0.075M)

Revision date: 01.11.2022 Product code: PE-TBA-001-Reagent Page 3 of 5

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide. Carbon monoxide Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear personal protection equipment. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation. Remove persons to safety.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on general occupational hygiene

Wash hands before breaks and after work. Do not eat, drink, smoke or sneeze at the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Further information on storage conditions

storage temperature:

of °C: 2 up to °C: 8

Protect against: Light.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Tested protective gloves are to be worn: Single-use gloves. NBR (Nitrile rubber).

Skin protection

Lab apron. Chemical resistant safety shoes.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: colourless clear

Changes in the physical state

according to UK REACH Regulation

Tetrabutylammonium hydrogen carbonate (0.075M)

Revision date: 01.11.2022 Product code: PE-TBA-001-Reagent Page 4 of 5

pH-Value: 8-10

9.2. Other information

Other safety characteristics

Solvent content: 7,60 %, water: 86,60 %

Further Information

SECTION 10: Stability and reactivity

10.5. Incompatible materials

Oxidizing agents, strong.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Further information

No information available.

SECTION 12: Ecological information

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Other applicable information

Not a hazardous material with respect to these transportation regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

SECTION 16: Other information

according to UK REACH Regulation

Tetrabutylammonium hydrogen carbonate (0.075M)

Revision date: 01.11.2022 Product code: PE-TBA-001-Reagent Page 5 of 5

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H226 Flammable lie	quid and vapour.
--------------------	------------------

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)