according to UK REACH Regulation

Ethanol					
Revision date: 07.11.2022	Product code: PEC1	1-0022-2-V2	Page 1 of 5		
SECTION 1: Identification of the substance/mixture and of the company/undertaking					
<u>1.1. Product identifier</u> Ethanol					
CAS No:	64-17-5				
Index No:	603-002-00-5				
EC No:	200-578-6				
1.2. Relevant identified uses of	the substance or mixture and uses ad	vised against			
1.3. Details of the supplier of the	e safetv data sheet				
Company name:	ABX advanced biochemical con	npounds			
	Biomedizinische Forschungsrea	igenzien GmbH			
Street:	Heinrich-Gläser-Straße 10-14				
Place:	01454 Radeberg				
Telephone:	+49 3528 4041 60	Telefax: +49 3528 4041 65			
e-mail:					
Contact person:	Dr. Christoph Meyer	Telephone: +49 3528 4041 8732			
e-mail:	meyer@abx.de				
Internet:	http://www.abx.de				

1.4. Emergency telephone

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225

Full text of hazard statements: see SECTION 16.

2.2. Label elements

- GB CLP Regulation
 - Signal word:

Pictograms:



Danger

Hazard statements

H225

Highly flammable liquid and vapour.

+49 3528 4041 60

Precautionary statements

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

SECTION 3: Composition/information on ingredients

3.1. Substances

according to UK REACH Regulation

Ethanol

Revision date: 07.11.2022

Product code: PEC11-0022-2-V2

Page 2 of 5

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)	Classification (GB CLP Regulation)			
64-17-5	ethanol; ethyl alcohol			95 - < 100 %	
	200-578-6	603-002-00-5			
	Flam. Liq. 2; H225				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE					
CAS No	EC No Chemical name				
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE			
64-17-5	200-578-6 ethanol; ethyl alcohol				
	inhalation: LC5	nhalation: LC50 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

If swallowed, immediately drink: Water.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water. Carbon dioxide (CO2). Foam. Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Explosion hazard.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the

according to UK REACH Regulation

Ethanol

Revision date: 07.11.2022

Product code: PEC11-0022-2-V2

Page 3 of 5

recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition - No smoking.

Hints on joint storage

Do not store together with: Material, rich in oxygen, oxidizing.

Further information on storage conditions

storage temperature: up to °C: +30

Protect against: Light.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

8.2. Exposure controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid colourless	
Changes in the physical state Melting point/freezing point: Boiling point or initial boiling point and boiling range:		-114 °C 78 °C 12 °C
Flash point: Lower explosion limits: Upper explosion limits:		3,5 vol. % 15 vol. %
Vapour pressure: (at 20 °C) Vapour pressure: (at 50 °C)		58 hPa 293 hPa
Density:		0,79 g/cm³

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

according to UK REACH Regulation

Ethanol

Revision date: 07.11.2022

Product code: PEC11-0022-2-V2

Page 4 of 5

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

CAS No	Chemical name					
	Exposure route	posure route Dose			Source	Method
64-17-5	ethanol; ethyl alcohol					
	oral	LD50 mg/kg	6200	Rat	IUCLID	
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS	

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name				
	Aquatic toxicity Dose [h] [d] Species Source M				Method
64-17-5	ethanol; ethyl alcohol				
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h Daphnia magna	IUCLID	

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 1170
14.2. UN proper shipping name:	Ethanol
14.3. Transport hazard class(es):	3

according to UK REACH Regulation

	Ethanol	
Revision date: 07.11.2022	Product code: PEC11-0022-2-V2	Page 5 of 5
14.4. Packing group:	II	
Hazard label:	3	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 1170	
14.2. UN proper shipping name:	Ethanol	
<u>14.3. Transport hazard class(es):</u>	3	
14.4. Packing group:	II	
Hazard label:	3	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1170	
14.2. UN proper shipping name:	Ethanol	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1170	
14.2. UN proper shipping name:	Ethanol	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40	
2004/42/EC (VOC):	99,5 %
National regulatory information	
Water hazard class (D):	1 - slightly hazardous to water

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.