

Safety Data Sheet

according to UK REACH Regulation

Eluent solution

Revision date: 18.03.2024

Product code: PEFET-0104-R-V1

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Eluent solution

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.3. Details of the supplier of the safety data sheet**

Company name:	ABX advanced biochemical compounds Biomedizinische Forschungsreagenzien GmbH	
Street:	Heinrich-Gläser-Straße 10-14	
Place:	01454 Radeberg	
Telephone:	+49 3528 4041 60	Telefax: +49 3528 4041 65
E-mail:	info@abx.de	
Contact person:	Dr. Christoph Meyer	Telephone: +49 3528 4041 8732
E-mail:	meyer@abx.de	
Internet:	http://www.abx.de	

1.4. Emergency telephone number:

+49 3528 4041 60

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Flam. Liq. 2; H225
 Acute Tox. 4; H302
 Acute Tox. 4; H312
 Acute Tox. 4; H332
 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

acetonitrile; cyanomethane
 Cryptand 222

Signal word: Danger**Pictograms:****Hazard statements**

H225	Highly flammable liquid and vapour.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H319	Causes serious eye irritation.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.

Safety Data Sheet

according to UK REACH Regulation

Eluent solution

Revision date: 18.03.2024

Product code: PEFET-0104-R-V1

Page 2 of 6

P243	Take action to prevent static discharges.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330	Rinse mouth.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P312	Call a POISON CENTER/doctor if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P235	Store in a well-ventilated place. Keep cool.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Relevant ingredients**

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (GB CLP Regulation)	
75-05-8	acetonitrile; cyanomethane	45 - < 50 %
	200-835-2	
	608-001-00-3	
	Flam. Liq. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H225 H332 H312 H302 H319	
23978-09-8	Cryptand 222	1 - < 5 %
	245-962-4	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1; H302 H315 H318	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
75-05-8	200-835-2	acetonitrile; cyanomethane	45 - < 50 %
		inhalation: LC50 = 11 mg/l (vapours); inhalation: LC50 = 11 mg/l (dusts or mists); dermal: LD50 = 988 mg/kg; oral: ATE = 500 mg/kg	
23978-09-8	245-962-4	Cryptand 222	1 - < 5 %
		oral: ATE = 500 mg/kg	

SECTION 4: First aid measures**4.1. Description of first aid measures****After contact with skin**

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

Safety Data Sheet

according to UK REACH Regulation

Eluent solution

Revision date: 18.03.2024

Product code: PEFET-0104-R-V1

Page 3 of 6

After ingestion

Let water be drunken in little sips (dilution effect). Call a physician in any case!

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. In case of fire: Wear self-contained breathing apparatus.

5.3. Advice for firefighters**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Wear personal protection equipment.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

Further information on storage conditions

Maximum storage temperature: +30 °C

Protect against: Light.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
75-05-8	Acetonitrile	40	68		TWA (8 h)	WEL
		60	102		STEL (15 min)	WEL

8.2. Exposure controls**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:

liquid

Colour:

colourless

Water solubility:

easily soluble.

SECTION 10: Stability and reactivity**10.4. Conditions to avoid**

Light.

SECTION 11: Toxicological information

Safety Data Sheet

according to UK REACH Regulation

Eluent solution

Revision date: 18.03.2024

Product code: PEFET-0104-R-V1

Page 4 of 6

11.1. Information on hazard classes as defined in GB CLP Regulation**ATEmix calculated**

ATE (oral) 808,4 mg/kg; ATE (dermal) 1812 mg/kg; ATE (inhalation vapour) 18,12 mg/l; ATE (inhalation dust/mist) 4,530 mg/l

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
75-05-8	acetonitrile; cyanomethane				
	oral	ATE 500 mg/kg			
	dermal	LD50 988 mg/kg	Rabbit	IUCLID	
	inhalation vapour	LC50 11 mg/l			
	inhalation dust/mist	LC50 11 mg/l			
23978-09-8	Cryptand 222				
	oral	ATE 500 mg/kg			

SECTION 12: Ecological information**12.1. Toxicity**

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
75-05-8	acetonitrile; cyanomethane					
	Acute fish toxicity	LC50 1640 mg/l	96 h	Pimephales promelas	IUCLID	

12.3. Bioaccumulative potential**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
75-05-8	acetonitrile; cyanomethane	-0,34

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Remove according to the regulations.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

Safety Data Sheet

according to UK REACH Regulation

Eluent solution

Revision date: 18.03.2024

Product code: PEFET-0104-R-V1

Page 5 of 6

14.1. UN number or ID number:	UN 1648
14.2. UN proper shipping name:	ACETONITRILE, Mixture
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 1648
14.2. UN proper shipping name:	ACETONITRILE, Mixture
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L
Excepted quantity:	E2

Marine transport (IMDG)

14.1. UN number or ID number:	UN 1648
14.2. UN proper shipping name:	ACETONITRILE, Mixture
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 1648
14.2. UN proper shipping name:	ACETONITRILE, Mixture
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Limited quantity Passenger:	1 L
Passenger LQ:	Y341
Excepted quantity:	E2
IATA-packing instructions - Passenger:	353
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	364
IATA-max. quantity - Cargo:	60 L

Other applicable information

Hazchem code: •2YE

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Safety Data Sheet

according to UK REACH Regulation

Eluent solution

Revision date: 18.03.2024

Product code: PEFET-0104-R-V1

Page 6 of 6

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

SECTION 16: Other information**Abbreviations and acronyms**

Flam. Liq: Flammable liquids

Acute Tox: Acute toxicity

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Eye Irrit: Eye irritation

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H312	Calculation method
Acute Tox. 4; H332	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)