according to UK REACH Regulation

## 6-Trimethylstannyl-D,L-DOPA

Revision date: 21.03.2022 Product code: 1302 Page 1 of 6

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

6-Trimethylstannyl-D,L-DOPA

#### Further trade names

D,L-Tyrosine, 5-[[(1,1-dimethylethoxy)carbony]oxy]-N-formyl-2-(trimethylstannyl)-,ethyl ester, 1,1-dimethylethyl carbonate

Synonymes:

N-Formyl-3,4-di-tert-butoxycarbonyloxy-6-(trimethyl-stannyl)-D,L-phenylalanine ethyl ester;

Trimethylstannyl-L-DOPA

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Precursor for 6-[18F]Fluoro-D,L-DOPA

(Analytical standard for validation of 6-[18F]Fluoro-L-DOPA synthesis)

#### 1.3. Details of the supplier of the safety data sheet

Company name: ABX advanced biochemical compounds

Biomedizinische Forschungsreagenzien GmbH

Street: Heinrich-Gläser-Straße 10-14

Place: 01454 Radeberg

Telephone: +49 3528 4041 60 Telefax: +49 3528 4041 65

e-mail: info@abx.de

Contact person: Dr. Christoph Meyer Telephone: +49 3528 4041 8732

e-mail: meyer@abx.de Internet: http://www.abx.de 
1.4. Emergency telephone +49 3528 4041 60

number:

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Acute Tox. 3; H301 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

# **GB CLP Regulation**

Signal word: Danger

Pictograms:







## **Hazard statements**

H301 Toxic if swallowed.

H312 Harmful in contact with skin.

according to UK REACH Regulation

6-Trimethylstannyl-D,L-DOPA				
Revision date: 21.03.2022	Product code: 1302	Page 2 of 6		

H315 Causes skin irritation. H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Chemical characterization

carbonate

Sum formula: C25H39NO9Sn

Molecular weight: 616.28

#### **Hazardous components**

CAS No	No Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
	6-Trimethylstannyl-D,L-DOPA			95 - < 100 %
	Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H301 H312 H315 H319 H372 H400 H410			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
		6-Trimethylstannyl-D,L-DOPA	95 - < 100 %
	dermal: ATE = 1100 mg/kg; oral: ATE = 100 mg/kg		

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

First aider: Pay attention to self-protection!

### After inhalation

No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately. Provide fresh air. In case of breathing difficulties administer oxygen. In all cases of doubt, or when symptoms persist, seek medical advice.

## After contact with skin

Medical treatment necessary. After contact with skin, wash immediately with: Water. Change contaminated clothing. Seek medical advice.

### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

according to UK REACH Regulation

## 6-Trimethylstannyl-D,L-DOPA

Revision date: 21.03.2022 Product code: 1302 Page 3 of 6

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Suitable extinguishing media: Water spray. Foam. Extinguishing powder. Carbon dioxide (CO2).

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx).

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

### Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal. Avoid dust formation. Clear contaminated areas thoroughly.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

## Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. Do not eat, drink, smoke or sneeze at the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container dry. Keep locked up. Store in a place accessible by authorized persons only. Keep container tightly closed in a cool, well-ventilated place. Restrict access to stockrooms.

## Further information on storage conditions

storage temperature:

of °C:-25

up to °C:-15

Store under (Gas): argon. Nitrogen.

Protect against: Light.

## **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

### Additional advice on limit values

To date, no national critical limit values exist.

according to UK REACH Regulation

## 6-Trimethylstannyl-D,L-DOPA

Revision date: 21.03.2022 Product code: 1302 Page 4 of 6

#### 8.2. Exposure controls

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

#### Individual protection measures, such as personal protective equipment

### Respiratory protection

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: colourless

Changes in the physical state

Melting point/freezing point: 41 - 51 °C

Water solubility:

The study does not need to be conducted because the substance is known to be insoluble in water.

Solubility in other solvents

Chloroform, Benzene, ACN

## **SECTION 10: Stability and reactivity**

## 10.5. Incompatible materials

Water. Oxidizing agents, strong.

### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Nitrogen oxides (NOx). Toxic metal oxide smoke.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

### **Acute toxicity**

Toxic. Acute toxicity, oral. Acute toxicity, inhalant. Acute toxicity, dermal.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	6-Trimethylstannyl-D,L-DOPA				
	oral	ATE 100 mg/kg			
		ATE 1100 mg/kg			

### Irritation and corrosivity

Irritating to eyes. After skin contact: irritant.

## Carcinogenic/mutagenic/toxic effects for reproduction

Toxicological data are not available.

## STOT-repeated exposure

Danger of serious damage to health by prolonged exposure.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

according to UK REACH Regulation

### 6-Trimethylstannyl-D,L-DOPA

Revision date: 21.03.2022 Product code: 1302 Page 5 of 6

#### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

#### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### Further information

Do not allow uncontrolled discharge of product into the environment.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded organic chemicals consisting of or containing hazardous

substances; hazardous waste

## List of Wastes Code - used product

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded organic chemicals consisting of or containing hazardous

substances; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number: UN 3146

**14.2. UN proper shipping name:** ORGANOTIN COMPOUND, SOLID, N.O.S. (Trimethyltin-dopa-derivate)

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 6.1 Classification code: T3 **Special Provisions:** 43 274 Limited quantity: 5 kg Excepted quantity: E1 Transport category: Hazard No: 60 Tunnel restriction code: Ε

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3146

**14.2. UN proper shipping name:** ORGANOTIN COMPOUND, SOLID, N.O.S. (Trimethyltin-dopa-derivate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Classification code:T3

Special Provisions: 43 274 802
Limited quantity: 5 kg
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 3146

14.2. UN proper shipping name: ORGANOTIN COMPOUND, SOLID, N.O.S. (Trimethyltin-dopa-derivate)

14.3. Transport hazard class(es): 6.1

according to UK REACH Regulation

6-Trimethylstannyl-D,L-DOPA				
Revision date: 21.03.2022	Product code: 1302	Page 6 of 6		

14.4. Packing group:IIIHazard label:6.1Marine pollutant:P

Special Provisions: 43, 223, 274
Limited quantity: 5 kg
Excepted quantity: E1
EmS: F-A, S-A

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3146

**14.2. UN proper shipping name:** ORGANOTIN COMPOUND, SOLID, N.O.S. (Trimethyltin-dopa-derivate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Special Provisions:A3 A5 A6Limited quantity Passenger:10 kgPassenger LQ:Y645Excepted quantity:E1

IATA-packing instructions - Passenger:670IATA-max. quantity - Passenger:100 kgIATA-packing instructions - Cargo:677IATA-max. quantity - Cargo:200 kg

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

#### **National regulatory information**

Water hazard class (D): 3 - highly hazardous to water

## **SECTION 16: Other information**

## Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.