

Safety Data Sheet

according to Regulation (EC) No 1907/2006

K-1XXTM-ES, Reagent 1.1.1, Eluent solution

Print date: 03.02.2020

Product code: K-1XXTM-ES

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

K-1XXTM-ES, Reagent 1.1.1, Eluent solution

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	ABX advanced biochemical compounds	
	Biomedizinische Forschungsreagenzien GmbH	
Street:	Heinrich-Glaeser-Strasse 10-14	
Place:	D-01454 Radeberg	
Telephone:	+49 3528 4041 60	Telefax: +49 3528 4041 65
e-mail:	info@abx.de	
Internet:	http://www.abx.de	

1.4. Emergency telephone number: +49 3528 4041 60

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: F - Highly flammable, Xn - Harmful, Xi - Irritant

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:
Flammable liquid: Flam. Liq. 2
Acute toxicity: Acute Tox. 4
Serious eye damage/eye irritation: Eye Irrit. 2
Hazard Statements:
Highly flammable liquid and vapour.
Harmful if swallowed.
Causes serious eye irritation.

2.2. Label elements

Signal word:	Danger
Pictograms:	GHS02-GHS07



Hazard components for labelling
acetonitrile; cyanomethane

Hazard statements

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

K-1XXTM-ES, Reagent 1.1.1, Eluent solution

Print date: 03.02.2020

Product code: K-1XXTM-ES

Page 2 of 6

P403+P235

Store in a well-ventilated place. Keep cool.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
200-835-2	acetonitrile; cyanomethane	40 - < 45 %
75-05-8	F - Highly flammable, Xn - Harmful, Xi - Irritant R11-20/21/22-36	
608-001-00-3	Flam. Liq. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H225 H332 H312 H302 H319	
245-962-4	Cryptand 222	1 - < 5 %
23978-09-8	Xn - Harmful, Xi - Irritant R22-37/38-41	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1; H302 H315 H318	
209-529-3	Potassium carbonate	1 - < 5 %
584-08-7		
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H302 H315 H319 H335	

Full text of R, H and EUH phrases: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Medical treatment necessary.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Water. Carbon dioxide (CO₂). Foam. Extinguishing powder.**5.2. Special hazards arising from the substance or mixture**

Combustible. Vapours may form explosive mixtures with air.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

K-1XXTM-ES, Reagent 1.1.1, Eluent solution

Print date: 03.02.2020

Product code: K-1XXTM-ES

Page 3 of 6

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray.
Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Explosion hazard.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only.
Keep container in a well-ventilated place.

Hints on joint storage

Do not store together with: Material, rich in oxygen, oxidizing.

Further information on storage conditions

Maximum storage temperature: + 30 °C
Protect against: Light.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
75-05-8	Acetonitrile	40	68		TWA (8 h)	WEL
		60	102		STEL (15 min)	WEL

8.2. Exposure controls**Occupational exposure controls**

Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream.
After work, wash hands and face. When using do not eat or drink.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: liquid
Colour: colourless

Test method**Changes in the physical state**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

K-1XXTM-ES, Reagent 1.1.1, Eluent solution

Print date: 03.02.2020

Product code: K-1XXTM-ES

Page 4 of 6

Water solubility:
(at 20 °C)

easily soluble.

SECTION 10: Stability and reactivity**10.4. Conditions to avoid**

Keep away from heat. Ignition hazard.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Acute toxicity, oral. Acute toxicity, inhalant. Acute toxicity, dermal.

CAS No	Chemical name	Exposure route	Method	Dose	Species	h
75-05-8	acetonitrile; cyanomethane					
	Acute oral toxicity		ATE	500 mg/kg		
	Acute dermal toxicity		LD50	988 mg/kg	Rabbit	
	Acute inhalation toxicity		LC50	11 mg/l		
23978-09-8	Cryptand 222					
	Acute oral toxicity		ATE	500 mg/kg		
584-08-7	Potassium carbonate					
	Acute oral toxicity		ATE	500 mg/kg		

Irritation and corrosivity

Irritating to eyes.

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information**12.1. Toxicity**

CAS No	Chemical name	Aquatic toxicity	Method	Dose	Species	h
75-05-8	acetonitrile; cyanomethane					
	Acute fish toxicity		LC50	1640 mg/l	Pimephales promelas	96 h

12.3. Bioaccumulative potential**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
75-05-8	acetonitrile; cyanomethane	-0,34

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

K-1XXTM-ES, Reagent 1.1.1, Eluent solution

Print date: 03.02.2020

Product code: K-1XXTM-ES

Page 5 of 6

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number:	1648
14.2. UN proper shipping name:	ACETONITRILE, Mixture
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E

Inland waterways transport (ADN)

14.1. UN number:	1648
14.2. UN proper shipping name:	ACETONITRILE, Mixture
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L

Marine transport (IMDG)

14.1. UN number:	1648
14.2. UN proper shipping name:	ACETONITRILE, Mixture
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Special Provisions:	-
Limited quantity:	1 L
EmS:	F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

UN/ID number:	1648
14.2. UN proper shipping name:	ACETONITRILE, Mixture
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3

Safety Data Sheet

according to Regulation (EC) No 1907/2006

K-1XXTM-ES, Reagent 1.1.1, Eluent solution

Print date: 03.02.2020

Product code: K-1XXTM-ES

Page 6 of 6

Limited quantity Passenger:	1 L	
IATA-packing instructions - Passenger:		353
IATA-max. quantity - Passenger:		5 L
IATA-packing instructions - Cargo:		364
IATA-max. quantity - Cargo:		60 L

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D): 2 - clearly water contaminating

SECTION 16: Other information**Relevant R phrases (number and full text)**

11	Highly flammable.
20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
22	Harmful if swallowed.
36	Irritating to eyes.
37/38	Irritating to respiratory system and skin.
41	Risk of serious damage to eyes.

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)