Telefax: +49 3528 4041 65

Telephone: +49 3528 4041 8732

Safety Data Sheet

according to UK REACH Regulation

30% Ethanol solution

Revision date: 02.09.2022 Product code: PS-101-V4 Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

30% Ethanol solution

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: ABX advanced biochemical compounds

Biomedizinische Forschungsreagenzien GmbH

Street: Heinrich-Gläser-Straße 10-14

Place: 01454 Radeberg
Telephone: +49 3528 4041 60

e-mail: info@abx.de

Contact person: Dr. Christoph Meyer
e-mail: meyer@abx.de
Internet: http://www.abx.de

1.4. Emergency telephone +49 3528 4041 60

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226

Full text of hazard statements: see SECTION 16.

This preparation does not contain harmful substances and/or substances hazardous to the environment in accordance with the substance directive 67/548/EC or substances to which occupational exposure limit values are allocated

2.2. Label elements

GB CLP Regulation

Signal word: Warning

Pictograms:



Hazard statements

H226 Flammable liquid and vapour.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P403+P235 Store in a well-ventilated place. Keep cool.

according to UK REACH Regulation

30% Ethanol solution

Revision date: 02.09.2022 Product code: PS-101-V4 Page 2 of 5

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

none (according to UK REACH Regulation)

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

If swallowed, immediately drink: Water.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on general occupational hygiene

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

according to UK REACH Regulation

30% Ethanol solution

Revision date: 02.09.2022 Product code: PS-101-V4 Page 3 of 5

Further information on storage conditions

Storage at below °C: +30 °C Protect against: Light.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: colourless

Changes in the physical state

Flash point: ca. 40 °C Water solubility: easily soluble.

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

Light.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

according to UK REACH Regulation

30% Ethanol solution

Revision date: 02.09.2022 Product code: PS-101-V4 Page 4 of 5

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transpo	ort (ADR/RID)
--------------	---------------

<u>14.1.</u>	14.1. UN number or ID number:		<u>) number:</u>	UN 1170	
			-		

14.2. UN proper shipping name: Ethanol, Solution

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 3 Classification code: F1 Special Provisions: 144 601 Limited quantity: 5 L Excepted quantity: E1 Transport category: Hazard No: 30 Tunnel restriction code: D/F

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: Ethanol , Solution

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Classification code:F1Special Provisions:144 601Limited quantity:5 LExcepted quantity:E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: Ethanol , Solution

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Special Provisions:144, 223Limited quantity:5 LExcepted quantity:E1EmS:F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: Ethanol, Solution

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3

Special Provisions: A3 A58 A180

Limited quantity Passenger: 10 L
Passenger LQ: Y344
Excepted quantity: E1

IATA-packing instructions - Passenger:355IATA-max. quantity - Passenger:60 LIATA-packing instructions - Cargo:366

according to UK REACH Regulation

30% Ethanol solution

Revision date: 02.09.2022 Product code: PS-101-V4 Page 5 of 5

IATA-max. quantity - Cargo: 220 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data

Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)