Telephone: +49 3528 4041 8732

## **Safety Data Sheet**

according to UK REACH Regulation

#### Water/Ethanol 10/1

Revision date: 25.08.2022 Product code: K-6530TM-EW Page 1 of 5

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Water/Ethanol 10/1

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Company name: ABX advanced biochemical compounds

Biomedizinische Forschungsreagenzien GmbH

Street: Heinrich-Gläser-Straße 10-14

Place: 01454 Radeberg
Telephone: +49 3528 4041 60

Telephone: +49 3528 4041 60 Telefax: +49 3528 4041 65 e-mail: info@abx.de

Contact person: Dr. Christoph Meyer
e-mail: meyer@abx.de
Internet: http://www.abx.de

1.4. Emergency telephone +49 3528 4041 60

number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Flam. Liq. 3; H226

Full text of hazard statements: see SECTION 16.

This preparation does not contain harmful substances and/or substances hazardous to the environment in accordance with the substance directive 67/548/EC or substances to which occupational exposure limit values are allocated

#### 2.2. Label elements

## **GB CLP Regulation**

Signal word: Warning

Pictograms:



#### **Hazard statements**

H226 Flammable liquid and vapour.

### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P403+P235 Store in a well-ventilated place. Keep cool.

according to UK REACH Regulation

#### Water/Ethanol 10/1

Revision date: 25.08.2022 Product code: K-6530TM-EW Page 2 of 5

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name	Chemical name			
	EC No	EC No Index No REACH No			
	Classification (GB CLP Regulation)				
64-17-5	ethanol; ethyl alcohol	ethanol; ethyl alcohol			
	200-578-6	603-002-00-5			
	Flam. Liq. 2; H225				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64-17-5	200-578-6	200-578-6 ethanol; ethyl alcohol	
	inhalation: LC50 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg		

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

#### After contact with eves

Rinse immediately carefully and thoroughly with eye-bath or water.

## After ingestion

If swallowed, immediately drink: Water.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

## Additional information

Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

according to UK REACH Regulation

#### Water/Ethanol 10/1

Revision date: 25.08.2022 Product code: K-6530TM-EW Page 3 of 5

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on general occupational hygiene

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

#### 8.2. Exposure controls

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: colourless

Changes in the physical state

Flash point: 57 °C
Water solubility: easily soluble.

## **SECTION 10: Stability and reactivity**

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

## Acute toxicity

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
64-17-5	ethanol; ethyl alcohol	ethanol; ethyl alcohol				
	oral	LD50 mg/kg	6200	Rat	IUCLID	
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS	

## Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive

according to UK REACH Regulation

#### Water/Ethanol 10/1

Revision date: 25.08.2022 Product code: K-6530TM-EW

Page 4 of 5

(1999/45/EC).

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity Dose [h]   [d] Species Source Method					Method
64-17-5	ethanol; ethyl alcohol					
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h	Daphnia magna	IUCLID	

## 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **Further information**

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

## Other applicable information

No dangerous good in sense of these transport regulations.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

#### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

## **SECTION 16: Other information**

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure			
Flam. Liq. 3; H226	On basis of test data			

according to UK REACH Regulation

## Water/Ethanol 10/1

Revision date: 25.08.2022 Product code: K-6530TM-EW Page 5 of 5

## Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)