according to UK REACH Regulation

#### **Ethanol**

Revision date: 19.08.2022 Product code: K-26XX.13 Page 1 of 5

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Ethanol

CAS No: 64-17-5 Index No: 603-002-00-5 EC No: 200-578-6

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Company name: ABX advanced biochemical compounds

Biomedizinische Forschungsreagenzien GmbH

Street: Heinrich-Gläser-Straße 10-14

Place: 01454 Radeberg

Telephone: +49 3528 4041 60 Telefax: +49 3528 4041 65

e-mail: info@abx.de

Contact person: Dr. Christoph Meyer Telephone: +49 3528 4041 8732

e-mail: meyer@abx.de Internet: http://www.abx.de 1.4. Emergency telephone +49 3528 4041 60

number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Flam. Liq. 2; H225

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

#### **GB CLP Regulation**

Signal word: Danger

Pictograms:



# **Hazard statements**

H225 Highly flammable liquid and vapour.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### according to UK REACH Regulation

# EthanolRevision date: 19.08.2022Product code: K-26XX.13Page 2 of 5

#### **Hazardous components**

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification (GB CLP Regulation)					
64-17-5	ethanol; ethyl alcohol	ethanol; ethyl alcohol				
	200-578-6	603-002-00-5				
	Flam. Liq. 2; H225		-			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64-17-5	200-578-6	ethanol; ethyl alcohol	95 - < 100 %
	inhalation: LC50 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg		

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

If swallowed, immediately drink: Water.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water. Carbon dioxide (CO2). Foam. Extinguishing powder.

#### 5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air.

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Explosion hazard.

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the

#### according to UK REACH Regulation

#### **Ethanol**

Revision date: 19.08.2022 Product code: K-26XX.13 Page 3 of 5

recovered material as prescribed in the section on waste disposal.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition - No smoking.

#### Hints on joint storage

Do not store together with: Material, rich in oxygen, oxidizing.

#### Further information on storage conditions

Maximum storage temperature: +30 °C

Protect against: Light.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

# **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

## 8.2. Exposure controls

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state:

liquid

Colour:

#### Changes in the physical state

Melting point/freezing point:

-114 °C

Boiling point or initial boiling point and

78 °C

boiling range:

Lower explosion limits:

Flash point: 12 °C

Upper explosion limits: 15 vol. %
Water solubility: highly soluble.
Vapour pressure: 58 hPa

(at 20 °C)

3,5 vol. %

Vapour pressure:

293 hPa

(at 50 °C)

Density: 0,79 g/cm³

#### **SECTION 10: Stability and reactivity**

according to UK REACH Regulation

#### **Ethanol**

Revision date: 19.08.2022 Product code: K-26XX.13 Page 4 of 5

#### 10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### **Acute toxicity**

CAS No	Chemical name						
	Exposure route Dose Species Source Method						
64-17-5	ethanol; ethyl alcohol	ethanol; ethyl alcohol					
	oral	LD50 mg/kg	6200	Rat	IUCLID		
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS		

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

CAS No	Chemical name							
	Aquatic toxicity Dose [h]   [d] Species Source Method							
64-17-5	ethanol; ethyl alcohol							
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h	Daphnia magna	IUCLID			

#### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31

# 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

#### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.

#### Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

#### **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:UN 117014.2. UN proper shipping name:ETHANOL

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3

# Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1170

# according to UK REACH Regulation

Ethanol					
Revision date: 19.08.2022	Product code: K-26XX.13	Page 5 of 5			
14.2. UN proper shipping name:	ETHANOL				
14.3. Transport hazard class(es):	3				
14.4. Packing group:	II				
Hazard label:	3				
Marine transport (IMDG)					
14.1. UN number or ID number:	UN 1170				
14.2. UN proper shipping name:	ETHANOL				
14.3. Transport hazard class(es):	3				
14.4. Packing group:	II				
Hazard label:	3				
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number or ID number:	UN 1170				
14.2. UN proper shipping name:	ETHANOL				
14.3. Transport hazard class(es):	3				
14.4. Packing group:	II				
Hazard label:	3				

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

2004/42/EC (VOC): 99,5 %

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

# **SECTION 16: Other information**

# Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.