according to UK REACH Regulation

Eluent solution

Revision date: 31.03.2023 Product code: PEST-0120-V1 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Eluent solution

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

for the production of [18F]SiTATE using the GE TRACERlab® MX, ORA Neptis® RS and DB synthesizer

1.3. Details of the supplier of the safety data sheet

Company name: ABX advanced biochemical compounds

Biomedizinische Forschungsreagenzien GmbH

Street: Heinrich-Gläser-Straße 10-14

Place: 01454 Radeberg

Telephone: +49 3528 4041 60 Telefax: +49 3528 4041 65

e-mail: info@abx.de

Contact person: Dr. Christoph Meyer Telephone: +49 3528 4041 8732

e-mail: meyer@abx.de
Internet: http://www.abx.de

1.4. Emergency telephone +49 3528 4041 60

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Cryptand 222

acetonitrile; cyanomethane **Signal word:**Danger

Pictograms:







Hazard statements

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

according to UK REACH Regulation

	Eluent solution	
Revision date: 31.03.2023	Product code: PEST-0120-V1	Page 2 of 7
P241	Use explosion-proof electrical/ventilating/lighting equipment.	
P242	Use non-sparking tools.	
P243	Take action to prevent static discharges.	
P270	Do not eat, drink or smoke when using this product.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
P330	Rinse mouth.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P403+P235	Store in a well-ventilated place. Keep cool.	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)		•		
23978-09-8	Cryptand 222				
	245-962-4				
	Acute Tox. 4, Skin Irrit. 2, Eye Dam	ı. 1; H302 H315 H318	•		
6487-48-5	potassium oxalate				
	Acute Tox. 4, Acute Tox. 4; H332 H	1312			
75-05-8	acetonitrile; cyanomethane			5 - < 10 %	
	200-835-2	608-001-00-3			
	Flam. Liq. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H225 H332 H312 H302 H319				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
23978-09-8	245-962-4	Cryptand 222	70 - < 75 %
	oral: ATE = 50	0 mg/kg	
6487-48-5		potassium oxalate	15 - < 20 %
	inhalation: ATE 1100 mg/kg	E = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE =	
75-05-8	200-835-2	acetonitrile; cyanomethane	5 - < 10 %
		60 = 11 mg/l (vapours); inhalation: LC50 = 11 mg/l (dusts or mists); dermal: LD50 ral: ATE = 500 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

according to UK REACH Regulation

Eluent solution

Revision date: 31.03.2023 Product code: PEST-0120-V1 Page 3 of 7

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing. Medical treatment necessary.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Medical treatment necessary.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water. Carbon dioxide (CO2). Foam. Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Explosion hazard.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Keep container in a well-ventilated place.

Hints on joint storage

Do not store together with: Material, rich in oxygen, oxidizing.

according to UK REACH Regulation

Eluent solution

Revision date: 31.03.2023 Product code: PEST-0120-V1 Page 4 of 7

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
75-05-8	Acetonitrile	40	68		TWA (8 h)	WEL
		60	102		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: colourless

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Acute toxicity, oral. Acute toxicity, inhalant. Acute toxicity, dermal.

ATEmix calculated

ATE (oral) 621,1 mg/kg; ATE (dermal) 4198,5 mg/kg; ATE (inhalation vapour) 41,98 mg/l; ATE (inhalation dust/mist) 6,799 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
23978-09-8	Cryptand 222						
	oral	ATE mg/kg	500				
6487-48-5	potassium oxalate						
	dermal	ATE mg/kg	1100				
	inhalation vapour	ATE	11 mg/l				
	inhalation dust/mist	ATE	1,5 mg/l				
75-05-8	acetonitrile; cyanometha	ne					
	oral	ATE mg/kg	500				
	dermal	LD50 mg/kg	988	Rabbit	IUCLID		
	inhalation vapour	LC50	11 mg/l				
	inhalation dust/mist	LC50	11 mg/l				

according to UK REACH Regulation

Eluent solution

Revision date: 31.03.2023 Product code: PEST-0120-V1 Page 5 of 7

Irritation and corrosivity

Irritating to eyes.

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name							
	Aquatic toxicity Dose [h] [d] Species Source Method							
75-05-8	acetonitrile; cyanomethane							
	Acute fish toxicity	LC50 1640 mg/l	96 h	Pimephales promelas	IUCLID			

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-05-8	acetonitrile; cyanomethane	-0,34

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1.	UN no	umber (or ID	number:	Ų	JN 1648

14.2. UN proper shipping name: ACETONITRILE, Mixture

14.3. Transport hazard class(es): 3 14.4. Packing group: Ш Hazard label: 3 Classification code: F1 Limited quantity: 1 L Excepted quantity: E2 Transport category: 2 Hazard No: 33 Tunnel restriction code: D/E

according to UK REACH Regulation

	Eluent solution	
Revision date: 31.03.2023	Product code: PEST-0120-V1	Page 6 of 7

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1648

14.2. UN proper shipping name: ACETONITRILE, Mixture

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Classification code:F1Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1648

14.2. UN proper shipping name: ACETONITRILE, Mixture

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1648

14.2. UN proper shipping name: ACETONITRILE, Mixture

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Limited quantity Passenger:1 LPassenger LQ:Y341Excepted quantity:E2

IATA-packing instructions - Passenger:353IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2004/42/EC (VOC): 70,7 %

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

SECTION 16: Other information

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Acute Tox. 4; H302	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method

according to UK REACH Regulation

Eluent solution							
Revision date: 31.03.2023	Product code: PEST-0120-V1	Page 7 of 7					
Relevant H and EUH statements (number and full text)							
H225	Highly flammable liquid and vapour.						
H302	Harmful if swallowed.						
H312	Harmful in contact with skin.						
H315	H315 Causes skin irritation.						
H318	H318 Causes serious eye damage.						
H319	Causes serious eye irritation.						
H332	Harmful if inhaled.						

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)