according to UK REACH Regulation

6-Trimethylstannyl-D-DOPA

Revision date: 21.03.2022 Product code: 1303 Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

6-Trimethylstannyl-D-DOPA

Further trade names

D-Tyrosine, 5-[[(1,1-dimethylethoxy)carbonyl]oxy]-N-formyl-2-(trimethylstannyl)-, ethyl ester, 1,1-dimethylethyl carbonate

Synonymes:

N-Formyl-3,4-di-tert-butoxycarbonyloxy-6-(trimethylstannyl)-D-phenylalanine ethyl ester

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Precursor for 6-[18F]Fluoro-D-DOPA

(Analytical standard for validation of 6-[18F]Fluoro-L-DOPA synthesis)

1.3. Details of the supplier of the safety data sheet

Company name: ABX advanced biochemical compounds

Biomedizinische Forschungsreagenzien GmbH

Street: Heinrich-Gläser-Straße 10-14

Place: 01454 Radeberg

Telephone: +49 3528 4041 60 Telefax: +49 3528 4041 65

e-mail: info@abx.de

Contact person: Dr. Christoph Meyer Telephone: +49 3528 4041 8732

e-mail: meyer@abx.de http://www.abx.de

1.4. Emergency telephone +49 3528 4041 60

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 3; H301 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT RE 1; H372 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

6-Trimethylstannyl-D-DOPA **Signal word:**Danger

Pictograms:







Hazard statements

H301 Toxic if swallowed.

according to UK REACH Regulation

	6-Trimethylstannyl-D-DOPA					
	Revision date: 21.03.2022	Product code: 1303	Page 2 of 6			
H312 Harmful in contact with skin.						
	⊔ 315	Causes skin irritation				

H315 Causes skin irritation.
H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

D-Tyrosine, 5-[[(1,1-dimethylethoxy)carbonyl]oxy]-N-formyl-2-(trimethylstannyl)-, ethyl ester, 1,1-dimethylethyl

carbonate

Sum formula: C25H39NO9Sn

Molecular weight: 616.28

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
	6-Trimethylstannyl-D-DOPA			95 - < 100 %
	Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT RE 1, Aquatic Chronic 1; H301 H312 H315 H319 H372 H410			

Full text of H and EUH statements; see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	EC No Chemical name	
	Specific Conc. Limits, M-factors and ATE		
		6-Trimethylstannyl-D-DOPA	95 - < 100 %
	dermal: ATE = 1100 mg/kg; oral: ATE = 100 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately. Provide fresh air. In case of breathing difficulties administer oxygen. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Medical treatment necessary. After contact with skin, wash immediately with: Water. Change contaminated clothing. Seek medical advice.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids

according to UK REACH Regulation

6-Trimethylstannyl-D-DOPA

Revision date: 21.03.2022 Product code: 1303 Page 3 of 6

apart. Subsequently consult an ophthalmologist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Suitable extinguishing media: Water spray, Foam, Extinguishing powder, Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Additional information

Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal. Avoid dust formation. Clear contaminated areas thoroughly.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. Do not eat, drink, smoke or sneeze at the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container dry. Keep locked up. Store in a place accessible by authorized persons only. Keep container tightly closed in a cool, well-ventilated place. Restrict access to stockrooms.

Further information on storage conditions

storage temperature:

of °C:-25

up to °C:-15

Store under (Gas): argon. Nitrogen.

Protect against: Light.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

6-Trimethylstannyl-D-DOPA

Revision date: 21.03.2022 Product code: 1303 Page 4 of 6

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Individual protection measures, such as personal protective equipment

Respiratory protection

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid Colour: colourless

Changes in the physical state

Water solubility:

The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

Chloroform, Benzene, ACN

SECTION 10: Stability and reactivity

10.5. Incompatible materials

Water. Oxidizing agents, strong.

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Nitrogen oxides (NOx). Toxic metal oxide smoke.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Toxic. Acute toxicity, oral. Acute toxicity, inhalant. Acute toxicity, dermal.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
	6-Trimethylstannyl-D-DOPA					
	oral	ATE 100 mg/kg				
	dermal	ATE 1100 mg/kg				

Irritation and corrosivity

Irritating to eyes. After skin contact: irritant.

Carcinogenic/mutagenic/toxic effects for reproduction

Toxicological data are not available.

STOT-repeated exposure

Danger of serious damage to health by prolonged exposure.

Further information

Data obtained by analogy conclusion, e.g. QSAR.

according to UK REACH Regulation

6-Trimethylstannyl-D-DOPA

Revision date: 21.03.2022 Product code: 1303 Page 5 of 6

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

Further information

Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded organic chemicals consisting of or containing hazardous

substances; hazardous waste

List of Wastes Code - used product

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded organic chemicals consisting of or containing hazardous

substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3146

14.2. UN proper shipping name: ORGANOTIN COMPOUND, SOLID, N.O.S. (Trimethyltin-dopa-derivate)

14.3. Transport hazard class(es): 6 1 14.4. Packing group: Ш Hazard label: 6.1 Classification code: T3 **Special Provisions:** 43 274 Limited quantity: 5 kg Excepted quantity: F1 Transport category: 2 Hazard No: 60 Tunnel restriction code: F

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3146

14.2. UN proper shipping name: ORGANOTIN COMPOUND, SOLID, N.O.S. (Trimethyltin-dopa-derivate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Classification code:T3

Special Provisions: 43 274 802
Limited quantity: 5 kg
Excepted quantity: E1

according to UK REACH Regulation

6-Trimethylstannyl-D-DOPA

Revision date: 21.03.2022 Product code: 1303 Page 6 of 6

Marine transport (IMDG)

14.1. UN number or ID number: UN 3146

14.2. UN proper shipping name: ORGANOTIN COMPOUND, SOLID, N.O.S. (Trimethyltin-dopa-derivate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Marine pollutant:P

Special Provisions: 43, 223, 274

Limited quantity: 5 kg
Excepted quantity: E1
EmS: F-A, S-A

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3146

14.2. UN proper shipping name: ORGANOTIN COMPOUND, SOLID, N.O.S. (Trimethyltin-dopa-derivate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Special Provisions:A3 A5 A6Limited quantity Passenger:10 kgPassenger LQ:Y645Excepted quantity:E1

IATA-packing instructions - Passenger:670IATA-max. quantity - Passenger:100 kgIATA-packing instructions - Cargo:677IATA-max. quantity - Cargo:200 kg

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

National regulatory information

Water hazard class (D): 3 - highly hazardous to water

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed.
 H312 Harmful in contact with skin.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.