according to UK REACH Regulation

K-1XXTM-N Reagent 1.1.5, NaOH-Solution 2,00 M

Revision date: 18.08.2022

Product code: K-1XXTM-N

Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

K-1XXTM-N Reagent 1.1.5, NaOH-Solution 2,00 M

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	ABX advanced biochemical com	pounds
	Biomedizinische Forschungsreag	genzien GmbH
Street:	Heinrich-Gläser-Straße 10-14	
Place:	01454 Radeberg	
Telephone:	+49 3528 4041 60	Telefax: +49 3528 4041 65
e-mail:	info@abx.de	
Contact person:	Dr. Christoph Meyer	Telephone: +49 3528 4041 8732
e-mail:	meyer@abx.de	
Internet:	http://www.abx.de	
1.4. Emergency telephone	+49 3528 4041 60	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Hazard categories: Skin corrosion/irritation: Skin Corr. 1A Serious eye damage/eye irritation: Eye Dam. 1 Hazard Statements: Causes severe skin burns and eye damage.

2.2. Label elements

GB CLP Regulation

Danger



Signal word:

Hazard statements

H314

Causes severe skin burns and eye damage.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

K-1XXTM-N Reagent 1.1.5, NaOH-Solution 2,00 M

Revision date: 18.08.2022

Product code: K-1XXTM-N

Page 2 of 5

Hazardous components

CAS No	Chemical name	Chemical name			
	EC No	EC No Index No REACH No			
	Classification (GB CLP Regulation)				
1310-73-2	sodium hydroxide; caustic so	sodium hydroxide; caustic soda			
	215-185-5	011-002-00-6			
	Skin Corr. 1A; H314				

Full text of H and EUH statements: see section 16.

Specific Co	nc. Limits, M-f	actors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Con	c. Limits, M-factors and ATE	
1310-73-2	215-185-5	sodium hydroxide; caustic soda	5 - < 10 %
· · · · · · · · · · · · · · · · · · ·		A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2; H319: >= 0,5 - < 2	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with: Water. Subsequently wash off with: Polyethylene glykol 400. Remove contaminated, saturated clothing immediately.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Hazards identification: Stomach perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Suitable extinguishing media: Water. Extinguishing powder. Foam. Carbon dioxide (CO2).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

according to UK REACH Regulation

K-1XXTM-N Reagent 1.1.5, NaOH-Solution 2,00 M

Revision date: 18.08.2022

Product code: K-1XXTM-N

Page 3 of 5

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Further information on storage conditions

Maximum storage temperature: + 30 °C

Protect against: Light.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	colourless	
Odour:	odourless	
pH-Value (at 20 °C):		
Water solubility:		easily solu

SECTION 10: Stability and reactivity

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Irritation and corrosivity

after ingestion: Irritation and etching. Hazards identification: Stomach perforation.

according to UK REACH Regulation

K-1XXTM-N Reagent 1.1.5, NaOH-Solution 2,00 M

Revision date: 18.08.2022

Product code: K-1XXTM-N

Page 4 of 5

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Aquatic toxicity Dose [h] [d] Species Source Method				
1310-73-2	sodium hydroxide; caustic soda					
	Acute fish toxicity	LC50 45,4 mg/l	96 h Onchorhynchus mykiss			

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C5
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
<u>14.4. Packing group:</u>	III
Hazard label:	8
Classification code:	C5
Limited quantity:	5 L
Excepted quantity:	E1

according to UK REACH Regulation

K-1XXTM-N Reagent 1.1.5, NaOH-Solution 2,00 M

Revision date: 18.08.2022 Product code: K-1XXTM-N Page 5 of 5 Marine transport (IMDG) UN 1824 14.1. UN number or ID number: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing aroup: III Hazard label: 8 Special Provisions: 223 Limited quantity: E1 EmS: F-A, S-B Air transport (ICAO-TI/IATA-DGR) III 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 6 Air transport (ICAO-TI/IATA-DGR) III 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing aroup: III Hazard label: 8 Special Provisions: A3 A803 Limited quantity: E1 IATA-max: quantity - Passenger: 1 L Passenger: 1 L Passenger: 1 L IATA-max: quantity - Passenger: 5 L IATA-max: quantity - Passenger: 5 L IATA-max: quantity - Passenger: 6 L EV regulatory informati	K-1XXTM-N Reagent 1.1.5, NaOH-Solution 2,00 M			
14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(e): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: FA, S-B Air transport (ICAO-TI/IATA-DGR) III 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: A3 A803 Limited quantity Passenger: 1 L Passenger L0: Y841 Excepted quantity: 5 L IAT-packing instructions - Passenger: 5 L IAT-packing instructions - Cargo: 5 S6 IAT-max. quantity - Cargo: 60 L SECTION 15: Regulatory information E EU regulatory information E Restrictions on use (REACH, anne	Revision date: 18.08.2022	Product code: K-1XXTM-N	Page 5 of 5	
14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: F1 EmS: FA, S-B Air transport (ICAO-TI/IATA-DGR) III 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III 14.3. Provisions: A3 A803 Limited quantity Passenger: 1 L Passenger LC: Y841 Excepted quantity: 5 L IAT-packing instructions - Passenger: 5 L IAT-packing instructions - Cargo: 5 S6 IAT-max. quantity - Cargo: 60 L SECTION 15: Regulatory information Restrictions on use (REACH, annex XVIII): Entry 3, Entry 75 National regulatory information Restrictions on use (REACH, annex XVIII): Entry 3, Entry 75 National regulatory information Mater hazard class (D): 1 - slightly hazardous to water	Marine transport (IMDG)			
44.3. Transport hazard class(es): 8 44.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: E1 Ems: FA, S-B Air transport (ICAO-TI/IATA-DGR) UN 1824 14.1. UN number or ID number: UN 1824 14.2. UV proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: A3 A803 Limited quantity: Passenger: 1 L Passenger LQ: Y841 Excepted quantity: E1 IXTA-packing instructions - Cargo: \$52 IAT-max. quantity - Passenger: 5 L IAT-max. quantity - Cargo: 60 L SECTION 15: Regulatory information Sec Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Signity hazardous to water National regulatory information Laightly hazardous to water		UN 1824		
14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: E1 Ems: FA, S-B Air transport (ICAO-TI/IATA-DGR) UN 1824 14.1. UN number or ID number: UN 1824 14.2. ZV No proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: A3 A803 Limited quantity: Passenger: 1 L Passenger LQ: Y841 Excepted quantity: E1 IX-A-packing instructions - Cargo: S52 IATA-max. quantity - Passenger: 5 L IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information Sec Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 S1 National regulatory information Li slightly hazardous to water	14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION		
Hazard label: 8 Special Provisions: 223 Limited quantity: 5 Excepted quantity: E1 EmS: F-A, S-B Air transport (ICAO-TI/IATA-DGR) Intervent of D number: 14.1.0.1.0.1.0.1.0.1.0.1.0.1.0.0.1.0		8		
Special Provisions: 223 Limited quantity: 5 Excepted quantity: E1 EmS: F-A, S-B Air transport (ICAO-TI/IATA-DGR) UN 1824 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: A3 A803 Limited quantity Passenger: 1 L Passenger LQ: Y841 Excepted quantity: E1 IAT-max. quantity - Passenger: 5 L IATA-max. quantity - Passenger: 5 L IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information EV Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 EV National regulatory information 1 - slightly hazardous to water	14.4. Packing group:	III		
Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B Air transport (ICAO-TI/IATA-DGR)	Hazard label:	8		
Excepted quantity: E1 EmS: F-A, S-B Air transport (ICAO-TI/IATA-DGR) UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: A3 A803 Limited quantity Passenger: 1 L Passenger LQ: Y841 Excepted quantity: E1 IATA-packing instructions - Passenger: \$5 L IATA-packing instructions - Passenger: \$60 L SECTION 15: Regulatory information 856 IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information Specific for the substance or mixture EU regulatory information Specific for the substance or mixture Water hazard class (D): 1 - slightly hazardous to water	Special Provisions:	223		
EmS: F-A, S-B Air transport (ICAO-TI/IATA-DGR) III 14.1. UN number or ID number; UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: A3 A803 Limited quantity Passenger: 1 Passenger LQ: Y841 Excepted quantity: E1 IATA-packing instructions - Passenger: \$52 IATA-max. quantity - Passenger: \$56 IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information 856 EU regulatory information Stational regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Stational regulatory information Water hazard class (D): 1 - slightly hazardous to water	Limited quantity:	5 L		
Air transport (ICAO-TI/IATA-DGR) UN 1824 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: A3 A803 Limited quantity Passenger: 1 Passenger LQ: Y841 Excepted quantity: E1 IATA-packing instructions - Passenger: 5 L IATA-packing instructions - Passenger: 5 L IATA-packing instructions - Cargo: 852 IATA-max. quantity - Passenger: 5 L IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information EU regulatory information Restrictions on use (REACH, annex XVII): strate substance or mixture EU regulatory information strate substance or mixture Restrictions on use (REACH, annex XVII): strate substance or mixture Water hazard class (D): 1 - slightly hazardous to water	Excepted quantity:	E1		
14.1.UN number or ID number:UN 182414.2.UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 LPassenger LQ:Y841Excepted quantity:E1IATA-packing instructions - Passenger:5 LIATA-packing instructions - Cargo:5 SoIATA-max. quantity - Cargo:60 LSECTION 15: Regulatory informationEU regulatory informationRestrictions on use (REACH, annex XVIII): Entry 3, Entry 75National regulatory informationWater hazard class (D):1 - slightly hazardous to water	EmS:	F-A, S-B		
14.1.UN number or ID number:UN 182414.2.UN proper shipping name:SODIUM HYDROXIDE SOLUTION14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 LPassenger LQ:Y841Excepted quantity:E1IATA-packing instructions - Passenger:5 LIATA-packing instructions - Cargo:5 SoIATA-max. quantity - Cargo:60 LSECTION 15: Regulatory informationKestrictions on use (REACH, annex XVII): Entry 3, Entry 75National regulatory informationI - slightly hazardous to water	Air transport (ICAO-TI/IATA-DGR)			
14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: A3 A803 Limited quantity Passenger: 1 L Passenger LQ: Y841 Excepted quantity: E1 IATA-packing instructions - Passenger: 5 L IATA-max. quantity - Passenger: 5 L IATA-max. quantity - Cargo: 852 IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information Water hazard class (D): 1 - slightly hazardous to water		UN 1824		
14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1Passenger LQ:Y841Excepted quantity:E1IATA-max. quantity - Passenger:5 LIATA-max. quantity - Passenger:5 0 LSECTION 15: Regulatory information60 LEU regulatory informationERestrictions on use (REACH, annex XVII): Entry 3, Entry 75Sightly hazardous to waterWater hazard class (D):1 - slightly hazardous to water		SODIUM HYDROXIDE SOLUTION		
Hazard label: a Hazard label: 8 Special Provisions: A3 A803 Limited quantity Passenger: 1 L Passenger LQ: Y841 Excepted quantity: E1 IATA-packing instructions - Passenger: 852 IATA-max. quantity - Passenger: 5 L IATA-max. quantity - Cargo: 5 L IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information Water hazard class (D): 1 - slightly hazardous to water		8		
Special Provisions: A3 A803 Limited quantity Passenger: 1 L Passenger LQ: Y841 Excepted quantity: E1 IATA-packing instructions - Passenger: 852 IATA-max. quantity - Passenger: 5 L IATA-max. quantity - Passenger: 5 L IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information SECTION 15: Regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information Water hazard class (D): 1 - slightly hazardous to water		III		
Limited quantity Passenger: 1 L Passenger LQ: Y841 Excepted quantity: E1 IATA-packing instructions - Passenger: S52 IATA-max. quantity - Passenger: S1L IATA-packing instructions - Cargo: S56 IATA-max. quantity - Cargo: G0 L SECTION 15: Regulatory information SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information Water hazard class (D): 1 - slightly hazardous to water	Hazard label:	8		
Passenger LQ: Y841 Excepted quantity: E1 IATA-packing instructions - Passenger: 852 IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 856 IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information SECTION 15: Regulatory information Is.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information 1 - slightly hazardous to water	Special Provisions:	A3 A803		
Excepted quantity: E1 IATA-packing instructions - Passenger: 852 IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 856 IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information SECTION 15: Regulatory information EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information 1 - slightly hazardous to water	Limited quantity Passenger:	1 L		
IATA-packing instructions - Passenger: 852 IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 856 IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information SECTION 15: Regulatory information EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information 1 - slightly hazardous to water	Passenger LQ:	Y841		
IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 856 IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information SECTION 15: Regulatory information SECTION 15: Regulatory information Sections on use (REACH, annex XVII) : Entry 3, Entry 75 National regulatory information Water hazard class (D): 1 - slightly hazardous to water	Excepted quantity:	E1		
IATA-packing instructions - Cargo: 856 IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information SECTION 15: Regulatory information SECTION 15: Regulatory information Sections on use (REACH, annex XVII) : Entry 3, Entry 75 National regulatory information Water hazard class (D): 1 - slightly hazardous to water	IATA-packing instructions - Passenger:	852		
IATA-max. quantity - Cargo: 60 L SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information Water hazard class (D): 1 - slightly hazardous to water				
SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information Water hazard class (D): 1 - slightly hazardous to water				
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information Water hazard class (D): 1 - slightly hazardous to water	IATA-max. quantity - Cargo:	60 L		
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information Water hazard class (D): 1 - slightly hazardous to water	SECTION 15: Regulatory information			
Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information Water hazard class (D): 1 - slightly hazardous to water	15.1. Safety, health and environmental regu	Ilations/legislation specific for the substance or mixture		
Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 National regulatory information Water hazard class (D): 1 - slightly hazardous to water	EU regulatory information			
Entry 3, Entry 75 National regulatory information Water hazard class (D): 1 - slightly hazardous to water				
Water hazard class (D): 1 - slightly hazardous to water		•		
	National regulatory information			
SECTION 16: Other information	Water hazard class (D):	1 - slightly hazardous to water		
	SECTION 16: Other information			

Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)