according to UK REACH Regulation

22 % Ethanol / Water solution

Revision date: 12.03.2024

Product code: PEFS-0118-R-V5

Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

22 % Ethanol / Water solution

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	ABX advanced biochemical com	pounds
	Biomedizinische Forschungsreag	genzien GmbH
Street:	Heinrich-Gläser-Straße 10-14	
Place:	01454 Radeberg	
Telephone:	+49 3528 4041 60	Telefax: +49 3528 4041 65
E-mail:	info@abx.de	
Contact person:	Dr. Christoph Meyer	Telephone: +49 3528 4041 8732
E-mail:	meyer@abx.de	
Internet:	http://www.abx.de	
1.4. Emergency telephone	+49 3528 4041 60	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226

Full text of hazard statements: see SECTION 16.

This preparation does not contain harmful substances and/or substances hazardous to the environment in accordance with the substance directive 67/548/EC or substances to which occupationel exposure limit values are allocated.

2.2. Label elements

GB CLP Regulation

Signal word:

Pictograms:



Warning

Hazard statements

H226

Flammable liquid and vapour.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P370+P378	In case of fire: Use to extinguish.

according to UK REACH Regulation

22 % Ethanol / Water solution				
Revision date: 12.03.2024	Product code: PEFS-0118-R-V5	Page 2 of 5		
P403+P235	Store in a well-ventilated place. Keep cool.			
P501	Dispose of contents/container to			
SECTION 3: Composition/information on ingredients				

3.2. Mixtures

Relevant ingredients

none (according to UK REACH Regulation)

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

If swallowed, immediately drink: Water.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on general occupational hygiene

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

according to UK REACH Regulation

22 % Ethanol / Water solution

Revision date: 12.03.2024

Product code: PEFS-0118-R-V5

Page 3 of 5

Requirements for storage rooms and vessels

Keep container tightly closed.

Further information on storage conditions

Storage at below °C: +30 °C Protect against: Light.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	colourless	
Flash point:		>24 °C
Water solubility:		easily soluble.
Density (at 20 °C):		0,79 g/cm ³

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

Light.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

according to UK REACH Regulation

22 % Ethanol / Water solution

Revision date: 12.03.2024

Product code: PEFS-0118-R-V5

Page 4 of 5

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1170
14.2. UN proper shipping name:	Ethanol, Solution
14.3. Transport hazard class(es):	3
14.4. Packing group:	
Hazard label:	3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1170
14.2. UN proper shipping name:	Ethanol, Solution
14.3. Transport hazard class(es):	3
14.4. Packing group:	
Hazard label:	3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1170
14.2. UN proper shipping name:	Ethanol, Solution
14.3. Transport hazard class(es):	3
14.4. Packing group:	111
Hazard label:	3
Special Provisions:	144, 223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-D
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number or ID number:</u>	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION
14.3. Transport hazard class(es):	3
14.4. Packing group:	Ű.
Hazard label:	3
Special Provisions:	A3 A58 A180
Limited quantity Passenger:	10 L
Passenger LQ:	Y344
i usseliyer Ly.	1044

according to UK REACH Regulation

22 % Ethanol / Water solution				
Revision date: 12.03.2024	Product code: PEFS-0118-R-V5	Page 5 of 5		
Excepted quantity:	E1			
IATA-packing instructions - Passe	enger: 355			
IATA-max. quantity - Passenger:	60 L			
IATA-packing instructions - Cargo	366			
IATA-max. quantity - Cargo:	220 L			
SECTION 15: Regulatory inform	ation			
15.1. Safety, health and environme	ntal regulations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, ann	ex XVII):			
Entry 3, Entry 40				
National regulatory information				
Water hazard class (D):	1 - slightly hazardous to water			
SECTION 16: Other information				
Abbreviations and acronyms Flam. Liq: Flammable liquids				
Classification for mixtures and used evaluation method according to GB CLP Regulation				
Classification	Classification procedure			
Flam. Liq. 3; H226	On basis of test data			
Relevant H and EUH statements (number and full text)H226Flammable liquid and vapour.				

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)